

Patented in the United States and other countries.

POLYSTOPP® Quick Connect System for DN90PE Applications



Data Sheet
Date: 06.2020

P-101 Tapping Machine

75.2090.0100.0300.00

Holders/Pilots:
Top Tap
75.3090.0222.0090.10
Bottom Tap
75.3090.0222.0110.15

Top Tap Cutter
75.3090.0222.0055.20

Bottom Tap Cutter
75.3090.0222.0061.20



POLYSTOPP Quick Connect Plugging Machine

Sealing Element for
SDR 11 through SDR 13.5
71.5537.0234.0090.10

Sealing Element for SDR 17
71.5537.0234.0090.11

Nose piece for
SDR 11 through SDR 13.5
75.5537.0234.0090.15

PE Pipe

75.537.0100.0400.00
Required



Valve to Fitting Adapter
75.1537.0214.0090.00



Plugging Fitting
72.5537.0100.0090.00
4.0090.00



' 1 3 2 / < 6 7 2 4 3 X 3 L F N & B Q / Q H F W

POLYSTOPP Quick Connect PE
Completion Machine
(Required)

■ Note:



T.D. Williamson

32 / < 6 7 2 3 3 4 X L F N & R Q Q H V W H P IR'U 3 (\$ S S O L F D W L R Q V

3

7 D S S L Q J 0 D F K L Q H

32 / < 6 7 2 3 3 4 X L F N & R Q Q H V W H P
0 D F K L Q H

32 / < 6 7 2 3 3 4 X L F N & R Q Q H V W H P



Required

9 D O W J L W W G Q S W H



* U R X Q G . 6 W U D S

5 H T X L U H G



8 Q L Y H U V D O 9 D O Y H
& D O L E U D W L R Q 5 L Q J [

3 O X J J L Q J) L W W L Q D I Q F K W Q L Q J

6 H D Q L Q H P H Q W
6 ' 5 W K U R X J K

6 H D Q L Q H P H Q W 6 ' 5

1 R V H S R W F H
6 ' 5 W K U R X J K 6 ' 5

1 R V H 3 L H F H I R U 6 ' 5

3 (3 L S H

+ R O G H U V 3 L O R W V
7 R S D S

% R W W D F S P

7 R S D S X W W H U

% R W W R P 7 D S & X W W H U



'1 32 / < 67 243X3L & R Q Q H F W





T.D. Williamson

' 1 3 2 / < 6 7 2 4 3 X L & R Q Q 6 H V W H P

2SWLRQDO (TXLSPHQW DQG \$FFHVVRULHV

Purchased separately

%RWWRP 3OXJJHU IRU XVH
ZLWK 'WDFQLQH

7HVW &DS



&RXSRQ 5HPRYHU

\$LU 0RWRU

\$LU PRWRU 6RFNHW

([SUHVV &RXSOLQJ

2LOHU

+RVH

3 2 / < 6 7 2 3 3 4 X L F N & R Q Q H F W 3 (

& R P S O H W L R Q 0 D F K L Q H

(Required)

■ Note: Consult your TDW representative for additional fitting options.

North & South America: +1 918 447 5000 Europe / Africa / Middle East: +32 67 28 3011 Asia Pacific: +65 6364 8520 www.tdwilliamson.com

Data subject to change without notice. / Dimensions not for construction unless certified. / © Registered trademark of T.D. Williamson, Inc. in the United States and other countries. / TM Trademark of T.D. Williamson, Inc. in the United States and other countries. / © Copyright 2016 All rights reserved. T.D. Williamson, Inc.

3 2 / < 6 7 2 4 3 L & R Q Q H V W H P I R ' U 3 (\$ S S O L F D W L R Q V

T.D. Willia

3 7 D S S L Q J 0 D F K L Q H 3 2 / < 6 7 2 3 3 4 X L F N & R Q Q H F W 3 O X J J L Q J
0 D F K L Q H

Required



9 D O W J L W W G Q S W H



6 H D Q L Q H P H Q W
6 ' 5 W K U F X J K

6 H D Q L Q H P H Q W 5

3 O X J J L Q J) L W W L Q J

3 (3 L S H

POLYSTOPP[®] Quick Connect System for DN225 PE Applications



T.D. Williamson

P-101 Tapping Machine

75.2090.0100.0300.50

- 75.3090.0222.0160.10
- 75.3090.0222.0160.15
- 75.3090.0222.0099.20
- 75.3090.0222.0080.20



POLYSTOPP Quick Connect Plugging Machine

75.0537.0100.0310.00

- 71.5537.0234.0225.16
- 71.5537.0234.0225.12

- 75.5537.0234.0225.11
- 75.5537.0234.0224.17

PE Pipe

POLYSTOPP Quick Connect Universal Valve

75.537.0100.0400.00
Required



Valve to Fitting Adapter
75.1537.0214.0225.00



Ground Strap Kit
08-3405-0010-00



Universal Valve
Calibration Ring (x2)
75.1537.0214.0220.00

Plugging Fitting
72.5537.0100.0225.00

Branching Fitting
72.5537.0100.0225.10

DN225 POLYSTOPP® Quick Connect System

Optional Equipment and Accessories

Purchased separately

Test Cap



POLYSTOPP Quick Connect PE
Completion Machine
(Required)

■ Note: Consult your TDW representative for additional fitting options.



DN250 POLYSTOPP® Quick Connect System

POLYSTOPP Quick Connect PE